

Index

- ACD model, 225, 232
- Adaptive approach, 264
- Adaptive estimation, 288
- Additive nonparametric volatility model, 273
- Anderson-Darling test, 303
- APGARCH model, 53
 - Forecasting, 66
- Arbitrage, 104, 118, 320, 335, 343, 359, 404, 428
- ARMA, 2, 5, 76, 227, 258, 260, 301, 337, 344
 - regime-switching, 75
- Artificial neural network, 57
- Asset pricing, 18, 104, 128, 284, 334, 340–341
- Asymmetric correlation test, 294
- Asymmetric dependence, 294
- Autocorrelation function, 252, 263

- B-splines, 261
- Backfitting method, 274
- Bandwidth choice, 272, 276
- Bayesian estimation, 64, 68, 164, 178, 185
- BEKK model, 18, 23, 68, 284
 - scalar, 115–16
- Berndt-Hall-Hall-Hausman algorithm, 63
- Bias reduction, 273
- Bivariate static copula models, 301
- Bootstrap, 65–6, 208–9, 287, 440, 476, 478, 481, 484

- Box-Cox transformation, 53, 59
- Brownian bridge, 255
- Brownian Motion, 320, 348, 366, 404, 449
 - fractional, 369, 404

- càdlàg process, 366, 404, 417, 424, 436
- CAPM, 18, 23, 104, 106, 334, 341
- CCC model, 18, 21, 23, 29, 111–12, 237, 293, 303, 308
- cd-CCC model, 22
- Choleski decomposition, 180, 195, 376
- Component model, 10, 11, 89, 398
 - unobserved, 338
- Composite likelihood, 116
- Concordance, 298
- Conditional correlations, 19, 21–2, 111–12, 285–6, 294
 - constant, 18, 111
 - time-varying, 23
- Copula, 135, 245, 287–8, 293–4
 - Archimedean, 296, 310–311, 313
 - bivariate, 296, 299, 301, 303, 305, 310, 313–15
 - canonical vine, 313–14, 316
 - Clayton, 296–7, 299, 303, 306, 311, 315
 - conditional, 296
 - D-vine, 313–15
 - definition, 295
 - dynamic, 294, 304
 - dynamic semiparametric model, 308

- Gaussian, 20, 296–7, 299, 303, 305–6, 310–311
- Gumbel, 296–9, 303, 306, 311, 315
- maximum likelihood estimation, 300
- MGARCH, 20, 316
- multivariate, 294
- multivariate static, 310
- regime-switching, 294
- Student- t , 296–7, 299, 303, 305–6, 310–311, 315
- vine, 313, 315
- Copula-based dependence measures, 298
- Correlation targeting, 22–3
- Covariance
 - blocking, 119
 - high dimensional, 103, 338, 342
 - observable factor, 105–7
 - statistical factor, 106
 - targeting, 24, 109, 115
- Credible intervals, 190
- Cross-validation, 276
- Curse of dimensionality, 273, 285, 287–8
- CUSUM test, 255
- DCC model, 22–4, 29, 112–13, 116, 284, 289–290, 293, 296, 305–6, 400–401
 - factor, 113
 - SP, 290
- DCC-MIDAS model, 23, 400–401
- DCC-SV model, 30
- DECO model, 23
- Deconvolution kernel, 283
- Diebold–Mariano test, 213
- Distribution
 - t , 72, 132, 160, 295, 297, 302, 306
 - Beta, 31, 178
 - bivariate Gamma, 245
 - Gamma, 31, 56, 181, 230–232, 235, 245, 282, 397, 472
 - Gaussian, 2–3, 6–8, 11, 18, 25, 28, 72–3, 116, 267, 349–50, 429, 454, 456, 472
 - generalized error, 8
 - Inverse Wishart, 178
 - inverted-Gamma, 230
 - log-normal, 230
 - multivariate t , 181, 293, 295
 - multivariate Gaussian, 19, 293, 295
 - multivariate skewed- t , 19
 - normal inverse Gaussian, 406
 - Paretian, 2
 - Poisson, 472
 - skewed- t , 8–9, 18, 42, 132, 302
 - truncated normal, 181
 - Weibull, 230
 - Wishart, 45, 377
- Double threshold ARCH model, 56
- Dow Jones index, 252, 255, 261, 288
- Dynamic correlation stochastic volatility, 170
- Efficiency gains, 282
- Efficient price, 320
- EGARCH model, 7, 26, 30, 111, 152, 200–201, 203–5, 211–13, 221, 260
- EIS, 28, 148, 153–7, 160, 163–4, 167, 173
- Elliptical distribution, 293
- Equicorrelation, 109, 112, 119, 124
 - covariance estimator, 107
 - dynamic, 23
 - forecast, 108
- Equity markets, 73, 127, 129, 144, 343
- Estimating function approach, 283
- Evolutionary autocovariance, 250
- Exceedance correlation, 294
- Extreme value theory, 294, 455
- Factor (MGARCH) model, 18, 24
- Factor loadings, 24, 106, 114, 116, 119, 130, 137–8, 184, 192, 195, 341
- Factor model, 104–5, 108, 112–14, 116, 119, 124, 128–9, 135, 144, 314, 370
- Factor MSV model, 183
- Factor structure, 23, 105–6, 113, 119
- Factor-type SV model, 29
- FIGARCH model, 14, 239
- Financial crisis, 15, 31, 98, 129–130, 166, 172, 192, 236, 281, 359
- Flexible multivariate GARCH, 110
- Forecasting, 64, 260, 288, 465
 - consistent ranking, 471
 - Diebold–Mariano test, 475
 - high dimensional covariance matrices, 103
 - loss function, 471

- Mincer-Zarnowitz regression, 465
- model confidence set, 479
- multiple comparison, 477
- pairwise comparison, 474
- reality check, 477
- superior predictive ability, 478
- Frequency
 - domain, 256
 - low, high and ultrahigh, 407
- Frobenius distance, 473, 475
- Frobenius norm, 111, 339
- Functional-coefficient volatility model, 276
- GARCH-in-mean model, 280, 281
- GARCH-MIDAS model, 398–401
- GAS model, 308
- Gaussian mixture distribution, 151
- Gaussian white noise, 252
- General-to-specific, 246
- Generalised logistic function, 67
- Generalized Bartlett's Formula, 365
- Gibbs sampler, 64
- GJR-GARCH model, 7, 9, 10, 13, 51–5, 57, 59, 64, 66, 68–9, 111, 200–201, 203, 211–12, 221, 278, 390, 483
- GMM, 28, 80, 226, 233, 247
- HAR model, 43, 338, 363–4, 368–370, 376
 - CJ, 372, 378
 - HAR-CJ, 373, 379
 - LHAR-CJ, 373, 378–9
 - RV, 377
 - Tree HAR-CJ, 373, 375
 - Wishart, 377
- HAR-GARCH model, 369
- HEAVY model, 246
- Hedging, 18, 211, 284
- Heterogeneous market hypothesis, 363, 372, 379
- HYBRID GARCH models, 393
- Hybrid volatility model, 68
- ICAPM, 391, 392
- Identification, 13, 24, 29, 54, 61–2, 81, 91, 184, 202, 209, 228, 230, 238, 251, 260, 266, 273–5, 375, 418, 430, 448, 485
- Identification, 445
- IGARCH model, 10–11, 84, 94, 252, 483
- IIS, 154, 157, 160, 163–4, 173
- Importance sampling, 28, 153, 155, 160, 163, 167
 - EIS, 28, 148, 153–7, 160, 163–4, 167, 173
 - IIS, 154, 155, 157, 160, 163–4, 173
- In-sample comparisons, 202
- Inference for the margins, 301
- Initial values, 26, 35, 63–4, 171
- Instrumental variable, 275, 342
- Instrumental variable estimation
 - local, 274–5
- Integrated covariance, 333
- Integrated quarticity, 330, 412
- Integrated variance, 320
- Internet bubble, 192
- Jumps, 38, 40, 257, 365, 373, 403
 - disentangling, 410
 - Lévy process, 405
 - microstructure noise, 447
 - Poisson jumps, 366
 - test, 433, 447
- Kalman filter, 28–9, 150–151, 344, 384
- Kendall's tau, 298, 304, 306–7
 - dynamic, 306
- Kernel, 283, 412, 429, 450, 466
 - function, 120, 263, 271–2, 360
 - Epanechnikov, 289
 - estimate, 42, 255, 275, 285–6, 331, 431
 - etimate, 287
 - exponential, 355
 - finite-lag, 356
 - flat-top, 332
 - Gaussian, 289
 - Parzen, 120
 - rectangular, 368
- Kolmogorov-Smirnov test, 303
- Kuiper test, 303
- Kurtosis, 26, 34, 88, 99, 166, 236, 293, 302
 - coefficient, 2, 6, 8, 133
 - excess, 2, 9, 38, 74, 100, 130, 302
 - leptokurtosis, 2, 5, 8

- Kurtosis (*continued*)
 mesokurtosis, 8
 platykurtosis, 8
 unconditional, 12
- Lagrange multiplier test, 60, 205
- Lehman Brothers, 166, 192
- Leverage effect, 51, 176, 201, 364, 372
 cross, 177, 190
- Local change point method, 308
- Local polynomial inference, 264
- Local stationarity, 251
- Local-linear estimator, 272, 276
- Locally stationary process, 251, 256
- Locally stationary volatility models, 260, 281
- Logarithmic GARCH model, 53
- Long memory, 14, 89, 115, 239, 324, 363, 366, 368–370, 376
- Loss function, 207, 210, 221–2, 309, 387, 467, 471, 475, 482–3, 485
 ASD, 212
 asymmetric, 72
 economic, 123, 486
 homogeneous, 207, 472
 matrix, 472
 MSE, 208, 211, 213–14, 473
 proportional error, 472
 QLIKE, 207–8, 211, 213
 quasi log-likelihood, 239
 Stein, 473
- MA representation, 258
- Marginal integration method, 275
- Markov-switching GARCH model, 12, 13
- Markov-switching model, 50, 294
- Matrix-log transformation, 377
- MCMC, 151, 178–9, 185, 378
- Measurement error, 320, 322, 329–330, 332–3, 344, 448
 multivariate, 336
- Metropolis-Hastings, 159, 164
- Microstructure Noise, 323, 330, 347, 428, 447
 Epps effect, 328, 335, 348, 376
 MIDAS, 390
- MIDAS, 23, 43, 368, 385–6, 388, 391–3, 398, 401
 ADL, 386
 forecasting volatility, 383
 Matlab toolbox, 384
 model, 368
 multivariate, 399
 NIC model, 390
 regression, 339, 384, 387, 389–390, 392, 396
- Misspecification test, 60, 63, 68, 287
- Mixture sampler, 176
- ML, 7, 27, 42, 68, 91, 107, 113, 153, 162, 175, 178, 204, 226, 230, 247, 267, 300–301, 333, 338, 339, 344, 356, 413, 430, 453
 simulated, 28
- MN-GARCH model, 12, 76, 85, 98
- Model Confidence Set, 208
- Model selection, 202
 general-to-specific, 246
- Multimove sampler, 28, 30, 158, 176, 179, 183, 186, 192
- Multiplicative decomposition, 67
- Multiplicative error model, 225, 247, 397
 asymmetric composite, 229
 realized volatility, 235
 vector, 243
- Multiplicative variance decomposition, 67
- Multivariate volatility model
 adaptive, 267
 BEKK, 18, 23, 68, 115–16, 284
 locally stationary, 266
 multiplicative, 266
 nonparametric and semiparametric, 284
 semiparametric copula-based, 288
 VEC, 18, 23, 109–10, 113, 115, 284
- Nadaraya-Watson estimator, 271
- Neural network GARCH, 57
 estimation, 64
- News impact curve, 7–8, 203, 278, 389, 396
- Nonlinear ARCH model (NLARCH), 53, 59
- Nonlinear GARCH models, 49
 estimation, 63
 forecasting, 64
 probabilistic properties, 59
- Nonparametric estimator, 264, 268, 280, 284, 348, 354–5, 360

- Nonstationary covariance, 251
- Nonstationary volatility models, 281
- Notional volatility, 321
- Numerical integration, 65, 178
- O-GARCH, 24
 - model, 24
 - forecasts, 113
 - generalized, 24
- Option pricing, 16–17, 72, 80–81, 150, 333, 342, 370, 375, 442
- Ornstein–Uhlenbeck process, 407
- Out-of-sample comparisons, 206
- Path dependence, 12, 79, 80
- Pearson's correlation, 294, 298
- Periodicity, 323, 447
 - estimation, 452
 - factor, 450, 452, 455, 458
- Persistence, 5, 9, 11–12, 26, 31, 55, 75, 76, 85–6, 88, 95, 132, 160–161, 190, 194, 225, 228, 235–36, 238, 247, 251–2, 263, 273, 278, 302, 306, 363, 366, 369, 376, 392, 418, 443, 470
- Poisson process, 38, 328, 366, 405, 407, 409, 458
- Portfolio allocation, 118, 125, 209
- Post-sample prediction test, 253
- Posterior distribution, 179, 185
- Prior distribution, 31, 160, 178, 185, 189, 192
- Probability integral transformation, 295, 303
- QML, 5, 7, 19, 20, 23, 29, 35, 63, 148, 151–4, 158, 160, 161, 167–8, 173, 202, 263, 270, 279, 281–3, 337, 353–7, 375, 391, 395, 397, 483
- Quadratic covariation, 334
- Quadratic variation, 320
- Quantile dependence, 298
- Rank correlation, 298, 303
- Reality check, 208, 466, 477
- Realized beta, 334, 341
- Realized bipower covariation, 44
- Realized covariance
 - asymptotic results, 334
 - bipower covariation, 433
 - Cholesky decomposition, 376
 - definition, 334, 434
 - matrix-log transformation, 377
 - modelling, 375
 - multivariate realized range, 335
 - outlyingness weighted quadratic covariation, 433
 - pre-averaging estimator, 337
 - realized kernel, 336
 - threshold realized covariation, 433
 - two scales realized covariance estimator, 336
 - Wishart autoregressive model, 376
- Realized quadratic covariation, 44
- Realized variance, 319, 384
 - ARFIMA model, 337
 - asymptotic result, 329
 - bipower variation, 413
 - definition, 321
 - duration-based variation, 425
 - forecasting, 337, 339
 - generalized realized range, 424
 - GAR model, 338, 363, 385
 - irregularly spaced observations, 425
 - MedRV, 422
 - MinRV, 422
 - modelling, 337
 - modulated bipower variation, 431
 - modulated multipower variations, 431
 - multipower variations, 415
 - option pricing, 342
 - pre-averaging estimator, 332
 - range bipower variation, 423
 - realized kernel, 331, 355
 - realized outlyingness weighted variation, 422
 - realized power variations, 412
 - realized quantiles, 421
 - realized range, 332
 - staggered bipower variation, 429
 - staggering, 412
 - stylized facts, 365
 - subsample estimator, 330
 - threshold bipower variation, 371, 419
 - threshold power variations, 412
 - threshold realized variance, 416
 - two time scale estimator, 330, 451
- Realized volatility, 207
- Realized-GARCH model, 246
- Recursive online estimation, 263

- Regime switches, 51, 91, 315, 382
- Regime-switching copula model, 308
- Regime-switching models, 294
- Regularization, 112, 119, 122
- Risk management, 127, 134, 175, 209, 211, 284, 366, 369, 375, 383, 386, 432
- Risk-return trade-off, 341, 368, 391–3
- RiskMetrics model, 10, 114, 115, 483
- S&P 500 index, 54, 188, 281, 288
 - sector, 188
- SCAR model, 308
- Semimartingale, 38, 117–18, 320, 322, 333, 336, 403, 406, 449
- Semiparametric ARCH model, 278
- Semiparametric efficiency bound, 281, 288
- Semiparametric estimator, 285, 286
- Sequential testing, 68, 480
- Sieve method, 261
- Simulated annealing, 64
- Simulated method of moments, 152
- Single site sampler, 158
- Single-index volatility model, 277, 279
- Skewness, 19, 28, 74, 77, 98–9, 102, 128, 136–7, 141, 143, 293–4, 302
 - autoregressive, 130
 - coefficient, 3, 130, 133, 137
 - conditional, 73, 99, 128–9, 132–3, 135–6, 138, 144–5
 - negative, 9
 - spillovers, 18, 129, 139, 141, 144–5
 - time-varying, 18, 73, 128–9, 132, 133, 135, 138, 141, 144–5
 - unconditional, 12
- Sklar's Theorem, 295
- Smooth transition GARCH model, 11, 13, 50, 54–5, 58, 61, 63–6, 77
- Spectral density, 256
 - multivariate, 266
- Spillovers, 243
 - mean, 128, 138, 144
 - volatility, 18, 21, 128–130, 135, 144, 245
- Spline-GARCH model, 13, 16, 113, 260–261, 263, 267
 - factor, 23
- State space model, 28, 150–151, 168, 180, 384
- Stationarity tests, 253
- STGARCH model
 - estimation, 63
 - forecasting, 64
- Stochastic copula autoregressive model, 308
- Stochastic volatility, 114, 150, 170, 270, 308, 344, 349–350, 441, 458
 - diffusion, 343, 390
 - model, 25, 32, 38, 52, 104, 149, 158, 167, 170, 172, 174, 200–201, 291, 345, 353, 370, 406–7, 445
 - multivariate model, 175
 - process, 33, 68, 202, 333
 - time-varying, 458
- Stochastic volatility model
 - dynamic correlation, 170
 - factor, 183
 - multivariate, 175
- Stock markets, 10, 18, 73, 97–9, 102, 107–8, 130, 141, 170, 188, 192, 200, 211, 214, 221, 236, 281, 288, 301, 323–4, 360, 388, 391, 401, 453
- Structural breaks, 251–2, 268, 281, 308, 364, 374, 380, 382
- Superior predictive ability test, 208
- Survivor function, 299
- Synchronization method
 - fixed clock time, 326, 328
 - refresh time, 326, 328, 358
- Tail dependence, 294, 298–9, 305, 307
 - lower, 296, 299, 303–4, 310
 - upper, 296, 299, 304, 310
- TAQ Data, 323
- Taylor expansion, 61, 180
- Test against ANN-GARCH, 62
- Test against STGARCH, 61
- Testing standard GARCH, 60
- TGARCH model, 7, 51–2, 54, 56, 58, 59, 241
- Time-varying autocovariance, 258
- Time-varying covariance, 251
- Time-varying GARCH, 58
- Time-varying parameter models, 281
- Total variation, 104, 257
 - norm, 260, 267
- Transition function

- exponential, 55
- Gamma, 56
- logistic, 54
- Taylor expansion, 61
- TV-GARCH model, 58
- TVC model, 22–3
- Value-at-Risk, 17, 19, 72, 97, 99, 134, 209–12, 221, 308–9, 368, 383, 387
- Variance
 - ratios, 139, 141
- VEC model, 18, 23, 284
 - diagonal, 110
 - scalar, 109, 113, 115
- Volatility
 - and macroeconomic variables, 16, 398–9
 - clustering, 2, 5, 11, 15, 26, 58, 67, 236, 368
 - forecasts, 36, 43, 73, 92–3, 211, 383, 386, 394, 401, 465, 467–71, 485
 - signature plot, 322, 333, 409, 441
- Volatility-Switching GARCH model, 51
- Wishart
 - autoregressive model, 45, 339, 376
 - HAR model, 377
 - process, 195

<http://www.pbookshop.com>