

Index

- #DIV/0! errors, 128, 130–131, 176, 205–206
- #N/A errors, 165–167, 169–170, 176–178, 304–306, 314, 341, 343
- #NAME? errors, 176, 179, 213
- #NULL! errors, 177, 179, 228
- #NUM! errors, 147, 177, 207
- #REF! errors, 44, 47, 115, 165, 176, 179, 193, 198, 200, 215
- #VALUE! errors, 176, 186, 190, 219, 263
- _ character, 212, 225–226
- + sign, 65, 111
- & symbol, 65, 77–78, 134, 145, 150–151, 180, 198–199, 201, 205, 208, 236–237, 359, 366, 374, 394, 400, 406
- \$ symbol, 112–115, 222, 259–260, 290
- @ symbol, 73
- ! symbol, 199–201
- # symbol, 73, 261–263
- > symbol, 134–135, 142, 145, 155
- < symbol, 134–135, 142, 145
- * symbol, 359, 361, 368, 370–371
- 3D formulas, 61–62, 117–120, 241, 368, 371–372
- 80/20 rule (*see also* Pareto analysis), 147–148

- ABS function, 290–291, 339
- Absolute references (*see* Fixed references)
- Access database, 80, 82–83, 105–106
- Accounting number format, 260
- ActiveX controls, 244
- AGGREGATE function, 121, 125–131, 205–206

- Alt key shortcuts, 16–17, 28–31, 33, 47, 84, 89, 124, 160, 229–230, 268, 301, 323
- AND function, 146, 160–163, 205, 250, 253, 340, 347, 375
- Approximate match, 167, 169
- Arguments, 4, 128–129
- Array formulas
 - Ctrl + Shift + Enter, 143, 201–202, 204
 - editing, 201–202, 206
 - entering, 201–202, 206
 - multi-cell array formulas, 202, 206–208
 - single-cell formulas, 202, 204–205
- Array constant, 203
- Array syntax, 146–148, 163–164, 202–204
- Auditing tools (*see* Formula auditing)
- Australian conventions, 4
- Auto calculation, 25
- Auto fill options, 34–35
- Auto fit, 36–38
- AutoComplete, 214–215
- Automated headings, 180–181
- Automated subtotals, 123–125
- AutoSum, 29, 38, 123
- AutoSum icon, 39
- AVERAGE function, 73, 116, 400

- Best practices, 63–64
- Blank cells, 68, 74–76, 93, 166, 178–179
- Blank columns, 68, 72
- Blank rows, 68, 72
- Borders, 20, 258, 268–270

- Calculate, 33
- Calculated Field option, 97–98
- Calculated Item option, 99–101
- Camera icon, 318–321
- Case study one
 - 13-month chart, 372, 376
 - actual data, 356
 - budget layout, 353–354
 - chart data sheet, 372–375
 - control sheet, 356
 - dashboard, 352, 355, 372, 375–378
 - data cleansing, 357–359
 - data requirements, 352–353
 - data sheets, 354
 - department report, 368–370
 - design, 354
 - processes, 352–354
 - report layout, 355, 363–370
 - scenario, 351
 - sheets, 354
 - state report, 363–365, 371
 - statistics, 361–362
 - structure, 354
 - structured range names, 356, 359–360, 366, 368, 375
 - system generated report, 351, 357–360
- Case study two
 - 12-month report, 387–395
 - actual data, 383
 - budget layout, 391
 - control sheet, 382–383
 - dashboard, 380, 396–399, 402
 - dashboard data sheet, 397–403
 - data cleansing, 384–385
 - data requirements, 380, 383, 386
 - design, 382
 - forecast layout, 392
 - formatted tables, 381–382, 384–385, 390
 - month report, 388, 395
 - prior year layout, 393
 - processes, 381
 - report layout, 395
 - scenario, 379–380
 - sheets, 381
 - state report, 404–406
 - statistics, 386, 401–402, 404–406
 - structure, 380–381
 - structured range names, 382, 385–387, 390, 394, 400, 402
 - tables sheet, 390
 - year to date report, 388, 395
- Cell comments, 64
- CELL function, 367
- Cell link, follow, 39–40, 345
- CHAR function, 400
- Characters, counting, 189–190
- Characters, extracting, 183–188
- Chart objects
 - axis, primary vertical, 302, 308–310, 334
 - axis, secondary vertical, 302, 308–310
 - chart title, 309, 331, 334–335
 - data labels, 314, 334, 336
 - data series, 308
 - gridlines, 302, 309, 334–335
 - groups, 300
 - legend, 335
 - listing, 301
 - multiple objects, 301
 - trendlines and moving averages, 315–316
- Charts
 - 3D, 302
 - 12-month, 302
 - 13-month, 302, 304–306, 396, 398
 - adding text, 331
 - aligning, 325, 403–404
 - automation, formula-based, 303–306
 - automating techniques, 302
 - avoiding zeros, 306–307, 311
 - bar, 302, 335–336, 396–398
 - before and after comparisons, 333–336
 - bullet chart, 302
 - changing chart type dialog box, 307, 309
 - Chart Types, mixing, 307
 - column, 302–308, 326–327, 331–336, 396–398

- dashboards, 301, 317–320, 329, 352, 355, 372, 375–378, 380, 396–403
- design ribbon tab, 300
- dual axis, 302, 308–310
- error cells, 303–304
- format ribbon tab, 300
- format trendline dialog box, 315–316
- gauge chart, 302
- graphs, 300
- guidelines, 301–302
- hidden and empty cells dialog box, 312, 329
- label high and low values, 313–315
- layout ribbon tab, 300, 314
- line, 302, 305–308, 311, 313–314, 326–327, 334–335, 396, 398
- missing data, 311
- objects (*see* Chart objects)
- pie, 302
- resizing, 325, 403–404
- save as template, 300–301
- select data source dialog box, 311
- selecting data, 311–312
- SERIES function, 332–333
- small charts, 329
- sorting data, 336
- stop a value plotting, 303–304
- suggestions, 301–302
- table layout, 301
- techniques, 301
- text axis, 312
- variance analysis, 316
- zeros, 306–307, 311
- CHOOSE function, 196–197, 201, 249, 251, 396
- Circular reference error, 179
- Classic Pivot Table, 88, 93–94
- Clear formats option, 257
- Clipboard, 53–55
- Color scales (*see* Conditional formatting, color scales)
- Colour blindness, 255–256
- Columns, adding to tables, 72
- Companion website, 7, 88, 268
- CONCATENATE function (*see also* & symbol), 180
- Concatenation operator, 134, 145, 150–151, 180, 236–237, 359, 366, 374–375, 394, 400, 406
- Conditional count (*see* COUNTIF function), 197
- Conditional formatting
 - color scales, 279–281, 283–288, 326
 - dashboards, 273
 - data bars, 277–284, 287–288, 326
 - dates, 275
 - displaying negative values, 282, 284
 - duplicates, 274–276
 - editing, 282–290
 - exception reporting, 273
 - format cells dialog box, 291
 - formula-based, 287–292
 - greater than, 275
 - helper cells, 287, 289, 291–292
 - highlight cells rules, 273–274
 - icon, 273
 - icon sets, 256, 277, 280–281, 286–289, 326
 - manage rules, 276, 280–281
 - parameters, 285–289
 - pareto analysis, 273–274, 277
 - pivot tables, 272, 293–294
 - relative references, 287, 290
 - Rules Manager dialog box, 282
 - Sparkline charts, 327–330
 - styles, 273
 - top/bottom rules, 274, 276–277
 - totals, 277
 - unique, 274
 - usage, 153, 157, 247
 - validation, 272–273, 289–292, 347–348
 - variance analysis, 273, 288–289
- Conditional sums using multiple criteria, 127, 134, 136–138, 143, 145, 147, 204, 218, 303, 367–368, 387, 390, 394, 400, 402, 406
- Conditional sums using single criterion, 127, 131–136, 143, 147, 197, 218, 304, 306, 359, 361, 368
- Connection properties dialog box, 83, 106

- Construction, 11
- Control key shortcuts, 23, 27–28, 33, 42, 44–47, 61, 64, 72, 75, 96, 102–103, 116, 143, 201, 216, 220, 223, 227, 229, 234, 257, 261, 324–325, 345, 359, 385, 403
- Controls, ActiveX, 244
- Controls, form
 - cell links, 245–249
 - check box, 244–248
 - combo box, 244, 250–253
 - group box, 249
 - linked cell format, 246–247, 249
 - option buttons, 244, 248–251, 396
 - validation, 248, 250
- Convert fixed reference to relative, 139
- CONVERT function, 215
- Convert Text to Columns Wizard, 80–82
- Convert text to number, 190, 367
- COUNT function, 116–117, 197
- COUNTA function, 116–117, 221, 231–232, 253
- COUNTIF function, 63, 197–198, 339, 347, 349, 357, 384–385
- Counting, 63, 116–117, 197–198, 221, 231–232, 253, 339, 347, 349, 357, 384–385
- Counting specific characters, 189–190
- Create Names From Selection dialog box, 224, 359
- Create Pivot Table dialog box, 89
- Currency format, 259–260
- Custom list, 54
- Custom number formats
 - colours, 263
 - comma format, 263
 - custom format layout, 261–262
 - dates, 182
 - displaying millions, 263–264
 - displaying text, 263–264
 - displaying thousands, 263–264
 - entering, 261–262
 - hide entries, 246–247, 249, 263
 - negatives, 261
 - parentheses, 263, 265
 - positives, 261
 - rounding, 261–262
 - spaces, 262
 - structure, 261
 - text, 261
 - useful examples, 263
 - zeros, 260–262, 264–265
- Customise the Quick Access Toolbar dialog box, 19
- Dashboard, 47, 60, 299, 301, 317–320, 329, 352, 355, 372, 375–378, 380, 396–399, 402
- Data cleansing
 - common issues, 74, 384–385
 - date issues, 76–78, 384–385
 - definition, 67
 - extra field, 75, 357, 384–385
 - files, 14, 84
 - incomplete data, 74–77, 357–359
 - missing data, 74–77, 357–359
 - trailing minus sign, 79, 384–385
- Data rules, 68
- Data structures, 69
- Data validation
 - circle invalid data, 53
 - error alert, 50–52
 - formula-based, 250–253
 - icon, 21
 - input message, 49, 51
 - limitations, 52–53
 - list, 49–50, 228, 230–232
- DATE function, 65, 76–78, 181–183, 191–192, 225–226, 243, 305, 372, 382, 384–385
- Date functions
 - DATE function, 65, 76–78, 181–183, 191–192, 225–226, 243, 305, 372, 382, 384–385
 - DAY function, 190–191
 - MONTH function, 77–78, 154, 190–192, 225, 243, 305, 372, 382
 - NETWORKDAYS function, 226, 236, 242–243

- NETWORKDAYS.INTL function, 242–243
- NOW function, 260
- TODAY function, 260
- YEAR function, 190–192, 225–226, 243, 305, 372, 382
- WEEKDAY function, 148
- Dates, 65, 76–78, 102–104, 145, 181–183, 191–192, 225–226, 243, 260–261, 305, 372, 382, 384–385
- DAY function, 190–191
- Days of the month
 - first, 191–192
 - last, 191
- Debugging (*see also* Formula auditing), 340–346
- Defined names (*see* Range names)
- Delimiter, 80
- Design, 11, 354, 382
- Displaying a blank cell, 166, 246–247, 249, 263
- Displaying millions, 263–264
- Displaying thousands, 263–264
- Double-click, 36, 38, 40
- Dynamic pictures, 321–322

- Editing in cell, 31, 40, 346
- Editing in dialog box, 31
- Evaluate formula, 341
- Exact match, 165–166, 168–171
- External data, 80, 82–83, 104–106, 241

- FALSE, 140–142, 144–148, 155–163, 165–166, 179, 198, 205–206, 245–248, 292, 337–339, 346–349, 384–385
- Few, Stephen
 - books, 299
 - bullet chart, 302
- Field (database), 68
- Field item (database), 68
- File, full path formula, 367
- Fill handle options, 34–37, 40
- Filters, 122, 162–163

- Find and replace, 233–235
- Find and replace dialog box, 234
- Find & Select icon, 31–32, 403
- FIND function, 185
- First day of the month, 191–192
- Fixed references, 112–115, 137, 139, 214, 218, 290
- Fixed tax rates, 215
- Fonts, 257
- Form controls (*see* Controls, forms)
- Format cells dialog box, 182, 246, 257–258, 264
- Format as table
 - advantages, 70–71
 - design tab, 73
 - disadvantages, 71
 - formulas, 73
 - naming, 73
 - subtotals, 123
- Format painter icon, 256, 272
- Formatted table
 - creating, 70, 229, 381
 - design tab, 73
 - editing, 72
 - formulas, 73
 - naming, 73, 229
 - subtotals, 123
 - usage, 165
- Formatting
 - accounting number format, 260
 - all borders, 258, 269–270
 - borders icon, 268–269
 - center across selection, 267–268
 - clear formats, 257
 - comma number format, 260
 - currency number format, 259–260
 - date formats, 260–261
 - fonts, 257
 - format painter, 256, 272
 - merge & center icon, 266
 - merged cells, 265–268
 - merged cells error dialog box, 266
 - number formats, 258–261
 - tab, 258
 - thick border, 269–270
 - wrap text, 268

- Formula auditing
 - cell dependents, 341–342
 - cell precedents, 341–342, 346
 - deleting cells warning, 343
 - direct dependents, 342, 345
 - direct precedents, 341, 345
 - external precedents icon, 345
 - evaluate formula, 341–343
 - indirect dependents, 342
 - indirect precedents, 341
 - remove arrows, 343
 - trace dependents, 343–344
 - trace precedents, 342, 344–345
- Formula bar
 - calculating, 33, 143, 205, 340–341
 - check box, linked, 245
 - chart SERIES function, 332–333
 - copy formula, 116
 - copying to another cell, 116, 119
 - copying within, 116
 - editing, 31, 39, 78–79
 - linked picture, 319, 321
 - resize, 24
 - textbox, linked, 323
- Formula entry
 - copy formula above, 116
 - start formula with plus sign, 111
- Formula name (*see* Range names)
- Formula operators, 134–135
- Function keys
 - F1, 23
 - F2, 28, 31
 - F3, 31, 216–217, 220, 223, 227, 237, 359
 - F4, 31, 113, 223–224, 290, 301
 - F5, 31, 33, 75, 84, 345–346
 - F9, 33, 143–145, 203, 205, 340–341
 - F12, 33
- Function Wizard, 127–131
- Functions
 - ABS function, 290–291, 339
 - AGGREGATE function, 121, 125–131, 205–206
 - AND function, 146, 160–163, 205, 250, 253, 340, 347, 375
 - AVERAGE function, 73, 116, 400
 - CELL function, 367
 - CHAR function, 400
 - CHOOSE function, 196–197, 201, 249, 251, 396
 - CONCATENATE function, 180
 - CONVERT function, 215
 - COUNT function, 116–117, 197
 - COUNTA function, 116–117, 221, 231–232, 253
 - COUNTIF function, 63, 197–198, 339, 347, 349, 357, 384–385
 - DATE function, 65, 76–78, 181–183, 191–192, 225–226, 243, 305, 372, 382, 384–385
 - DAY function, 196–191
 - FIND function, 185
 - GETPIVOTDATA function, 148–151, 404, 406
 - HLOOKUP function, 164–165, 168–170, 173
 - IF function, 79, 116, 141, 153–161, 163–164, 166, 169, 174–179, 196–197, 205–208, 221, 287, 304, 306, 313, 340–341, 347, 357, 359, 361, 367, 372, 375, 387, 396–397
 - IFERROR function, 175–176, 178–179, 186, 197, 207–208, 222, 240, 341–343, 372, 384, 406
 - INDEX function, 169–170, 172–175, 192–195, 206, 218–219, 222, 231–232, 240, 249–251, 253, 354, 357, 361–363, 375, 385, 387, 394, 397, 400, 406
 - INDIRECT function, 197–201, 208, 226, 236–237, 321–322, 361–363, 367–368, 375, 387
 - INT function, 250, 253
 - ISBLANK function, 178–179
 - ISERR function, 177–178
 - ISERROR function, 186
 - ISNA function, 177–178
 - ISNONTEXT function, 178–179
 - ISNUMBER function, 178–179
 - ISTEXT function, 178–179

- LARGE function, 147–148, 201, 205
- LEFT function, 77–79, 183–184, 187, 357, 366–367, 384–385
- LEN function, 79, 187–188, 190, 367, 384–385
- MATCH function, 169–172, 174–175, 197, 206–208, 218, 222, 346, 354, 357, 372, 374, 384–385, 387, 397, 400, 406
- MAX function, 116–117, 194, 205, 221, 304, 306, 313, 347, 382, 384
- MID function, 77–78, 80, 184–185, 187–188
- MIN function, 116–117, 313
- MONTH function, 77–78, 154, 190–192, 225, 243, 305, 372, 382
- NA function, 304, 306, 313
- NETWORKDAYS function, 226, 236, 242–243
- NETWORKDAYS.INTL function, 242–243
- NOT function, 292–293, 375
- NOW function, 260
- OFFSET function, 192–195, 201, 251, 249, 251, 390, 394, 400
- OR function, 146, 160–164, 203, 205
- RIGHT function, 77–80, 183–184, 188, 190, 367, 384
- ROW function, 148, 198, 201, 206–208, 375
- ROWS function, 208
- SEARCH function, 77–78, 185–188, 367
- SERIES function, 332–333
- SMALL function, 206–208
- SUBSTITUTE function, 79, 188–190, 361–362
- SUBTOTAL function, 120–125, 387
- SUM function, 38–39, 44, 116–123, 151, 159, 173, 194, 196–197, 201, 241, 357, 361, 368, 371, 394, 400
- SUMIF function, 127, 131–136, 143, 147, 197, 218, 304, 306, 359, 361, 368
- SUMIFS function, 127, 134, 136–138, 143, 145, 147, 204, 218, 303, 367–368, 387, 390, 394, 400, 402, 406
- SUMPRODUCT function, 127, 136, 138–148, 155, 201–202, 204, 375, 400
- TEXT function, 181–183, 260, 372, 374, 400
- TODAY function, 260
- TRIM function, 79
- UPPER function, 182–183
- VALUE function, 190
- VLOOKUP function, 63, 76, 78, 164–171, 173–175, 177–179, 197, 218, 222, 341–343, 406
- YEAR function, 190–192, 225–226, 243, 305, 372, 382
- WEEKDAY function, 148
- GETPIVOTDATA function, 148–151, 404, 406
- Go to
- dialog box, 31–32
 - formula auditing, 345
 - Special, 32, 75, 179
- Graphics
- align, 324–325
 - drawing tools ribbon tab, 324
 - group, 324–326, 331, 403
 - size, 324
 - working with, 324
- Graphs (*see* Charts)
- Gridlines, sheet, 20, 268, 302
- Grouping
- columns, 395
 - graphics, 324–326
 - pivot tables, 93, 102–104
 - rows, 122, 395
 - sheets, 61, 120
- Helper cells, 65, 135–136, 139, 153–160, 196, 236, 241, 287, 289, 291–292, 363–366, 370–372, 374, 387, 389–390

- Hide rows, 122
- HLOOKUP function, 164–165, 168–170, 173
- Holidays, 223–226, 236, 243
- Home ribbon, 258–259
- Hyperlinks, 33, 55–56, 64, 215–216, 232–233, 345
- Identify new codes, 346–347
- IF function, 79, 116, 141, 153–161, 163–164, 166, 169, 174–179, 196–197, 205–208, 221, 287, 304, 306, 313, 340–341, 347, 357, 359, 361, 367, 372, 375, 387, 396–397
- IFERROR function, 175–176, 178–179, 186, 197, 207–208, 222, 240, 341–343, 372, 384, 406
- Import data dialog box, 82–84, 105
- Incomplete data, 74–75
- Increment month, 191
- INDEX function, 169–170, 172–175, 192–195, 206, 218–219, 222, 231–232, 240, 249–251, 253, 354, 357, 361–363, 375, 385, 387, 394, 397, 400, 406
- INDEX-MATCH combination, 174–175, 385, 387, 397, 400, 406
- INDIRECT function, 197–201, 208, 226, 236–237, 321–322, 361–363, 367–368, 375, 387
- Instructions, 12, 58, 64, 239
- INT function, 250, 253
- ISBLANK function, 178–179
- ISERR function, 177–178
- ISERROR function, 186
- ISNA function, 177–178
- ISNONTEXT function, 178–179
- ISNUMBER function, 178–179
- ISTEXT function, 178–179
- Joining text, 134, 180, 236–237, 359, 373–374, 394
- LARGE function, 147–148, 201, 205
- Last day of the month, 191
- Leading spaces, 78–79
- Leading zeros, 136
- LEFT function, 77–79, 183–184, 187, 357, 366–367, 384–385
- LEN function, 79, 187–188, 190, 367, 384–385
- Line break, 28, 160, 323
- Logic functions
 - AND function, 146, 160–163, 205, 250, 253, 340, 347, 375
 - IF function, 79, 116, 141, 153–161, 163–164, 166, 169, 174–179, 196–197, 205–208, 221, 287, 304, 306, 313, 340–341, 347, 357, 359, 361, 367, 372, 375, 387, 396–397
 - IFERROR function, 175–176, 178–179, 186, 197, 207–208, 222, 240, 341–343, 372, 384, 406
 - ISBLANK function, 178–179
 - ISERR function, 177–178
 - ISERROR function, 186
 - ISNA function, 177–178
 - ISNONTEXT function, 178–179
 - ISNUMBER function, 178–179
 - ISTEXT function, 178–179
 - NOT function, 292–293, 375
 - OR function, 146, 160–164, 203, 205
- Lookup functions
 - CHOOSE function, 196–197, 201, 249, 251, 396
 - HLOOKUP function, 164–165, 168–170, 173
 - INDEX function, 169–170, 172–175, 192–195, 206, 218–219, 222, 231–232, 240, 249–251, 253, 354, 357, 361–363, 375, 385, 387, 394, 397, 400, 406
 - MATCH function, 169–172, 174–175, 197, 206–208, 218, 222, 346, 354, 357, 372, 374, 384–385, 387, 397, 400, 406
 - VLOOKUP function, 63, 76, 78, 164–171, 173–175, 177–179, 197, 218, 222, 341–343, 406

- Macro
 - crashing, 265
 - pivot table, 88
 - policy, 7
 - usage, 64
 - website, 7, 88, 268
 - warning, 7
- Maintenance, 11–12, 239–240
- MATCH function, 169–172, 174–175, 197, 206–208, 218, 222, 346, 354, 357, 372, 374, 384–385, 387, 397, 400, 406
- MAX function, 116–117, 194, 205, 221, 304, 306, 313, 347, 382, 384
- Maxif formula, 204–205
- Maxifs formula, 205–206
- Merged cells format, 65, 265
- MID function, 77–78, 80, 184–185, 187–188
- MIN function, 116–117, 313
- Minif formula, 206
- Minifs formula, 206
- Minus sign, 79
- Missing data, 74–75
- Mixed references, 113–115, 137, 218
- Modular design, 6, 58, 65
- MONTH function, 77–78, 154, 190–192, 225, 243, 305, 372, 382
- Monthly data, 69–70
- Mouse shortcuts, 33–34, 39, 42, 44, 46–47

- NA function, 304, 306, 313
- Name Box, 24, 195, 211–214, 218, 222
- Name Box, resizing, 24, 212
- Named formula (*see* Range names)
- Named range (*see* Range names)
- Needs analysis, 10
- Nested IF functions, 159
- NETWORKDAYS function, 226, 236, 242–243
- NETWORKDAYS.INTL function, 242–243
- New code identify (*see* Identify new code)
- New Name dialog box, 229–230, 232, 385–386

- Noncontiguous, 46, 218
- Normalised data, 69
- NOT function, 292–293, 375
- NOW function, 260

- OFFSET function, 192–195, 201, 231, 249, 251, 390, 394, 400
- OR function, 146, 160–164, 203, 205
- Other data sources, 106–107

- Page break preview, 26
- Page layout, 26
- Paste picture link, 317–322, 372, 376–377
- Paste special
 - values, 75
 - transpose, 165
- Parentheses, 4, 143, 146
- Pareto analysis, 147–148, 273–274
- Performance
 - improvement, 5
 - measurement, 5
- Pivot charts, 106–107
- Pivot tables
 - advantages, 85–86
 - blank cells, 93
 - cache, 86–87
 - cache, sharing, 87, 99–100, 103
 - calculated field, 97–98
 - calculated item, 99–101
 - classic layout, 93–94
 - column labels, 90–92
 - conditional formats, 272, 293–294
 - creating, 88–92
 - dates, 102–104
 - design tab, 103
 - display options, 107–110
 - filtering (*see also* Pivot tables, slicers), 88, 90, 94, 96
 - formatting, 88, 94–95
 - GETPIVOTDATA function, 148–151
 - grouping, 93, 102–104
 - headings, 93, 98–99
 - layout, 85, 90–92
 - limitations, 86

Pivot tables (*continued*)

- macro to fix terminology, 88
- options tab, 95
- Pivot Charts, 106–108
- refreshing, 84, 86–87
- report filter, 90–92
- row labels, 90–92
- slicers, 88, 95–97
- sort, 94
- styles, 103
- terminology, 88, 98–99
- usage, 67, 85, 148–151
- values, 90–92
- Wizard, 89

Placeholder sheets, 117–120, 368, 372

PowerPivot, 108–109

Printing

- black and white, 247
- custom scaling, 296–297
- File tab options, 296
- fit to options, 296–297
- margins, 296
- number of pages, 294
- page break preview, 293–295
- page break preview, right-click, 295
- page breaks, 293
- page layout, 294
- page layout ribbon tab, 293
- print preview, 296
- print titles, 296
- set print area, 295

Quick Access Toolbar, 23, 29

- customise, 19, 64
- icon gallery, 20
- location, 18
- useful icons, 20–21

Range names

- advantages, 64, 210
- column-based, 219–221, 227–228, 233
- comments, 217
- create from selection, 223–224, 227
- creating, 211, 218, 322, 385

- creating automatically, 222–224
- define name, 229
- disadvantages, 210
- dynamic, 65, 172, 228–232, 240
- error, 213
- formula-based, 231–232, 321–322
- function key, 216–217, 223–224, 227
- intersections, 227–228
- listing, 237
- Name Manager, 176, 216–217, 220–221, 224–225
- naming recommendations, 213, 246
- naming rules, 212
- paste list, 237
- row-based, 218–219, 227–228
- structured naming convention, 233–237, 246, 356, 382, 385–386
- table-based, 228–229
- two-dimensional, 222
- usage, 112, 115, 165, 206, 209–237, 246

Reasonableness checks, 349

Record (database), 68

- relative references, 112–116, 139, 218, 287, 290

Ribbon

- Alt key, 29
- customise, 21–23
- Developer tab, 17, 244, 251–252
- extra options, 17–18
- minimise, 23
- settings, 17, 23
- specialised tabs, 17
- tips, 16

- RIGHT function, 77–80, 183–184, 188, 190, 367, 384

Right-click, 40–41, 43–44, 301, 330

Right-drag, 41–42, 45

Rolling the year, 241–242

Rounding, 261, 339

- ROW function, 148, 198, 201, 206–208, 375

ROWS function, 208

Save as, 33

Scope definition, 10

- SEARCH function, 77–78, 185–188, 367
- Select data source dialog box, 312
- Select objects icon, 325, 331, 403
- SERIES function, 332–333
- Sheet grouping, 61
- Sheet name formula, 367
- Shift key shortcuts, 28, 33, 46–47,
 - 61, 118, 143, 223, 227, 261, 345, 359, 385
- SMALL function, 206–208
- Snap to, alignment, 47
- Sorting
 - ascending, 123–124, 167, 170–171
 - descending, 123–124, 170–171
- Spaces, 78–79, 180, 189, 212, 225,
 - 227–228, 237, 262
- Sparklines
 - add-ins, 299, 326
 - axis issues, 329
 - column, 326–328
 - conditional format, 327–330
 - create Sparklines dialog box,
 - 328, 377
 - Excel 2010, 299, 326
 - high and low option, 313, 328
 - insert, 327–328
 - line, 326–327, 372, 376–377
 - options, 330
 - right-click, 330
 - win/loss, 326–327
- Speedo chart (*see* Charts, bullet chart)
- Splitting text, 183, 185–187
- Structure, 6–7, 36, 57–58, 79–80, 233
- Styles
 - adding, 272
 - borders, 272
 - conditional formatting, 273
 - customised, 272
 - home ribbon section, 270–271
 - merge, 272
 - multiple, 272
 - usage, 256
- SQL, 80
- SUBSTITUTE function, 79, 188–190,
 - 361–362
- Subtotal dialog box, 124
- SUBTOTAL function, 120–125, 387
- Subtotaling, 120–125
- SUM function, 38–39, 44, 116–123, 151,
 - 159, 173, 194, 196–197, 201, 241, 357, 361, 368, 371, 394, 400
- SUMIF function, 127, 131–136, 143,
 - 147, 197, 218, 304, 306, 359, 361, 368
- SUMIFS function, 127, 134, 136–138,
 - 143, 145, 147, 204, 218, 303, 367–368, 387, 390, 394, 400, 402, 406
- Summing functions
 - AGGREGATE function, 121, 125–131, 205–206
 - SUBTOTAL function, 120–125, 387
 - SUM function, 38–39, 44, 116–123, 151, 159, 173, 194, 196–197, 201, 241, 357, 361, 368, 371, 394, 400
 - SUMIF function, 127, 131–136, 143, 147, 197, 218, 304, 306, 359, 361, 368
 - SUMIFS function, 127, 134, 136–138, 143, 145, 147, 204, 218, 303, 367–368, 387, 390, 394, 400, 402, 406
 - SUMPRODUCT function, 127, 136, 138–148, 155, 201–202, 204, 375, 400
 - SUMPRODUCT function, 127, 136, 138–148, 155, 201–202, 204, 375, 400
- Status bar, 25–26
- Table-based, 58, 62, 65, 67, 228–229, 240–242
- Testing, 12
- Text box
 - formatting, 324
 - linking, 323, 331, 372, 376–378
 - on a chart, 331
- TEXT function, 181–183, 260, 372,
 - 374, 400

Text functions

- CHAR function, 400
- CONCATENATE function, 180
- FIND function, 185
- LEFT function, 77–79, 183–184, 187, 357, 366–367, 384–385
- LEN function, 79, 187–188, 190, 367, 384–385
- MID function, 77–78, 80, 184–185, 187–188
- RIGHT function, 77–80, 183–184, 188, 190, 367, 384
- SEARCH function, 77–78, 185–188, 367
- SUBSTITUTE function, 79, 188–190, 361–362
- TEXT function, 181–183, 260, 372, 374, 400
- TRIM function, 79
- UPPER function, 182–183
- Text, joining, 134, 180, 236–237, 359, 394
- Text to columns, 80–82, 183, 185
- TODAY function, 260
- Tolerances, 339
- Trailing spaces, 78–79
- Transpose, 165
- TRIM function, 79
- TRUE, 140–142, 144–148, 155–163, 165, 177–179, 198, 245–248, 292, 337–339, 346–348
- Tufte, Edward, 299
- Underscore character, 225
- Unique entries formula, 206–208
- UPPER function, 182–183

Validations

- centralised, 59, 241, 338, 347–349
- controls, 248, 250
- data validations, 339
- formats, 272–273
- logic formulas, 337–339, 347–349
- rounding, 339
- tolerance, 339
- VALUE function, 190
- Version numbers, 64
- Versions, Excel, 4, 18
- View icons, 26
- Visible cells only, 28–29
- VLOOKUP function, 63, 76, 78, 164–171, 173–175, 177–179, 197, 218, 222, 341–343, 406
- Volatile functions, 195, 201
- YEAR function, 190–192, 225–226, 243, 305, 372, 382
- Walkenbach, John, 206
- WEEKDAY function, 148
- Weekdays, 242–243
- Whole sheet icon, 38
- Workdays, 225–226, 242–243
- Windows, 48–49
- Zeros
 - displaying, 261, 264–265
 - leading, 136
 - suppressing, 264–265, 306–307
- Zapawa, Timothy, 68
- Zoom, 25

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>

<http://www.pbookshop.com>