
Index

A

Abraham, Jay, 65
account behavior, deviations in, 82
account take-over fraud, 70
ACH. *See* automated clearing house (ACH)
acquisition/merger, 53
address change, 84
“The Adventures of Copper Beeches” (Doyle), 39
advertisement monetization, 13
after-death experience, 85
air disaster risk, 64–65
Albom, Mitch, 85
American Express, 24, 26, 29
American Express cards, 26
analytical fraud management process, 71
analytics for fraud management, 89
analytics teams, 90
analytics-based scoring system, 96
anomalies in data, 55, 76
application transactions, 92
approve-or-decline decision, 12
Aristarchus of Samos, 41
assets to pay back a loan, 4
ATM terminal, 18, 27, 53, 82
ATM withdrawals, 18, 53, 68–69, 82
authenticating customer’s identity, 28
authentication, 8, 106
 methods, 5, 30
 protocols, 27
 system, 70
authorization transactions, 20
automated clearing house (ACH), 20, 97, 112
automated predictive dialers, 101
average transaction amount, 125
averaging approach, 105
avgMCCrsk, 126
avgPOSrsk, 126

B

Babbage, Charles, 67
balance inquiry transaction, 69

Bank of America, 24
BankAmerica Service Corporation, 25
bank-developed rules, 91
bankruptcy, 19, 93
basis point (BP), 95
behavioral
 input, 7
 modeling, 5, 13, 17, 33, 42, 45–46, 162
 models, 43, 46, 56, 60
behavior-based models, 28
behavior-based segments, 79
“below the radar,” 122
Berra, Yogi (American baseball catcher), 6
Biggins, John (banker), 24
BIN number, 29
biostatistician, 42, 161
Black Swan (Taleb), 6
BP. *See* basis point (BP)
Brahe, Tycho, 41

C

card authorizations, 50
card fraud, 95
cardholder’s behavior, 5, 32
cardholder’s monthly statement, 19
card-not-present fraud, 28, 99
card-not-present transaction, 50
card-present transaction, 50
cash deposits, 6
cash users, 81–82
cash withdrawals, 6, 27, 92
casual fraud, 83
cat and mouse game, 122
causal relationships, 41–42
central limit theorem (CLT), 43
change monitoring, 73
“Charge-It” card, 24
charge-off risk, 19
charitable organization
 donation, 29
checking account fraud, 70
chip card, 50

Churchill, Winston, 55
 Clark, Frank A., 86
 closed-loop system, 24
 cloud computing, 74
 CLT. *See* central limit theorem (CLT)
 coin flipping, 95
 competitive advantage, 51–52
 conditional probability, 65
 conditional risk, 64–65
 confidence intervals, 7
 consortium-based models, 112–13
 consumer expectations, 79
 consumer exposure, 9
 Copernicus, 41
 counterfeit card fraud, 29
 Covey, Stephen, 65, 162
 credit

- limit, 26
- line, unspent, 9
- risk, 19, 30–31, 36, 66, 76, 91, 93, 95, 101
- risk losses, 9
- risk management, 36

 credit card(s), 4, 10, 25

- affiliated with Visa and MasterCard, 25
- fraud, 9–10, 23, 30–31
- fraud losses, 12
- high interest rates on, 4
- offers, 11
- portfolios, 4–5, 19, 25–26
- system, national, 24
- thefts, 19, 27
- transactions, 12

 “Credit Card and Payment Efficiency” (Sienkiewicz), 23
 cryptographic messages, 13
 cryptography, 13
 customer

- acquisition, 3
- annoyance, 79, 100
- behavior based on past history, 5
- complains about fraud, 21
- expectation, 44–46
- insight, 13
- level information, 57
- service, 22, 30, 89
- touchpoint, 13

 customer’s identity, authenticating, 28
 cyber-attacks, 106
 cycle of improvement, 88

D

Da Vinci, Leonardo, 153
 data

- analysis, 6, 13, 91, 119
- anomalies, 112
- anomalies in, 55
- assets, 48, 52–53, 75
- associated, 17
- for behavioral models, 46–47
- changes, 51, 55
- collection, 42
- field changes, 71, 112
- handling, 119
- mapping, 73
- mining, 100–101
- from “monetary” transactions, 68
- proliferation, 40
- science, 109, 162
- storage, 16
- streams, 51
- warehouse, 55, 71, 74, 103–4

 data environment, 73

1. know your data, 47–48
2. collect all data you can from day one, 47–51
3. allow for additions as the data grows, 47, 51–52
4. if you cannot integrate the data, you cannot integrate the businesses, 47, 52–53
5. when you change the definition of a field, it is best to augment and not modify, 47, 53–54
6. document data you have as well as the data you lost, 47, 54
7. when change happens, document it, 47, 55
8. ETL: “extract, translate, load” (not “extract, taint, lose”), 47, 55–56
9. data model is an impressionist painting, 47, 56–57
10. top two assets of any business are people and data, 47, 57–58

 database storage, 52
 data-checking processes, 17
 data-driven

- decisions, 50
- environment, 50
- fraud detection systems, 13
- fraud management system, 91, 110–12, 110 f6.1

- highend analytical system, 90
- organization, 75
- predictive modeling, 39
- risk management, 37–38, 68
- system to combat fraud, 20
- techniques, 55
- debit card
 - fraud, 23, 30–31, 70
 - number, 69
 - silos point of view, 70
 - transactions, 12
- decision keys, 35
- defined fields, repurposing, 72
- dichotomous variable, 124
- Diner's Club cards, 24
- Disney, Walt, 163
- Disraeli, Benjamin (Prime Minister), 7
- dollars at risk, 66
- domain expertise, 40
- domain experts, 100, 103
- domestic wire, 20
- Doyle, Arthur Conan (author), 39–40
- Dulany, Paul, 22

- E
- eCommerce transactions, 28
- economies of scale, 25
- Einstein, Albert, 149
- electronic goods, 10
- electronic store purchases, 10–11
- end-to-end monitoring, 117
- enterprise fraud management, 71
- enterprise fraud modeling, 70
- entropy of system, 73–74
- ether theory, 41
- expiration date on card, 29
- extract, translate, load (ETL), 55–56

- F
- face-to-face interactions, 3
- false positive(s), 122
 - rate, 66
 - ratio, 99, 102, 116, 155–56
 - transactions, 78
- field definition, 54, 75
- field documentation, 72
- financial forecasting, 76
- financial institutions, 3
- financial marketplace consolidation, 52
- First Data Corporation, 25
- first-party fraud, 21, 159

- Fisher, Ronald Aylmer, 60
- fraud
 - analysis, evolution of, 8–9
 - analyst, “smile and dial,” 84, 99
 - analysts, 35, 83, 86, 94, 101, 104
 - automated process of detecting, 5
 - banks are vulnerable to, 3
 - card-not-present, 28
 - control results, 89
 - control systems, 87
 - data, accurate, 36–37
 - departments, 9
 - detection, 14
 - detection performance, 79, 82, 122
 - detection solutions, 153
 - detection systems, 2, 13, 19–21, 32, 34–36, 68, 82, 84, 85, 88, 90, 93, 96, 98, 100, 102, 107
 - detection techniques, 34
 - episodes, 18–20, 36, 70, 80, 82, 84, 92, 94, 97, 102, 156, 159
 - evolution of, 2
 - experts, 10
 - in financial institutions, 19
 - in Hindu mythology, 2
 - losses, 22, 26, 31, 154–56
 - lost-and-stolen, 28
 - management, 46, 153–56
 - management departments, 65, 78
 - management exercise, 77
 - management groups, 88
 - management in banks, 22–23
 - management infrastructure, 90
 - management mindset, 85
 - management of credit cards, 22–23, 29, 32, 34–37
 - management system data-driven, 91, 110–12, 110 f6.1
 - management systems, 83, 89, 91, 104
 - management units, 86
 - managers, 66, 86, 122
 - oldest case of, 2
 - operations analysts, 96
 - in a particular zip code, 103
 - pattern, 154
 - in present day, 2–3
 - rate, 124–25, 150
 - risk, 6, 12, 19, 22, 30, 35, 64, 66–67, 81–82, 91, 95
 - risk management, 66

- fraud (*continued*)
- rules, 77–78
 - score, 35, 79, 83–84
 - scoring systems, 7
 - stigma associated with, 2
 - strategies, 31, 50, 94, 100–101, 103–5
 - strategy development, 116
 - time-sensitive nature of, 101
 - transactions, 123–24
- fraud analytics, 121
- data, 126, 128
 - data, note about, 125–26
 - logistic regression 1, 132, 132t7.9, 133t7.18
 - logistic regression 2, 136–37
 - logistic regression 3, 141–43
 - logistic regression 4, 145–47
 - neural network 1, 134, 135t7.19, 135t7.21
 - neural network 2, 138–39
 - neural network 3, 143–44
 - neural network 4, 147–48
 - probability of detection *versus*
 - probability of false alarm, 123f7.1
 - regression 1, 128, 131t7.5, 131t7.8
 - regression 2, 134–36
 - regression 3, 140
 - regression 4, 144–45
 - SAS system, 127t7.1
 - statistics, 128
- fraud metrics, 86
- fraud model, essentials of
- building a, 112
- fraud model performance, 98, 154
- fraud models, challenges in operationalizing
1. operations personnel need to understand the fraud score concept, 94–98
 2. score development process must consider operational use and constraints, 94, 98–101
 3. fraud strategies should complement and not compete with the fraud score, 94, 101–4
 4. fraud strategies and operational processes should be well documented, 94, 104–5
- fraud-related decisions, 45
- fraudsters
- anonymity of, 3
 - prefer night-time, 10
 - sophisticated, 3, 87
 - use loopholes in the system, 71
- fraudulent
- application, 31, 98, 101, 104
 - behavior, 21, 37
 - patterns, 5
 - purchases, 27
 - transactions, 19–20, 37
- frontline employees, 118
- G**
- Gaddis, William, 153
- Gerson, Emily Starbuck, 24
- goal setting, 86
- Goodnight, Jim (CEO), 57
- governance requirements, 91
- granular data, 49–50
- granularity in classification, 52
- H**
- Hades (God of death), 23
- Hammurabi (Babylonian ruler), 155
- Hegestratos, 1–3
- high-throughput environment, 115
- historical data, 112
- historical transactional data, 92
- “The History of Credit Cards” (Woolsey and Gerson), 24
- Holmes, Sherlock, 39
- I**
- ID theft, 20, 33
- identity, your, 9
- “If” (Kipling), 60–61
- impressionist paintings, 56–57
- insurance money, 1
- intelligent systems, 58
- InterBank Card Association, 25
- interchange revenue, 11
- internal fraud, 112
- international wire, 20
- Internet data, 59
- Internet merchants, 28
- Internet pop-up ads, 44
- Internet shopping, 29
- Internet site, anomalous activity at, 34
- intrusive questions at website, 28
- intuition, 64
- IP addresses, 106

The Five People You Meet in Heaven
(Albom), 85

K

key business problems, 51
key field information, 73
Kipling, Rudyard, 60
“kitchen sink” model, 78
knowledge-based businesses, 58

L

laws of thermodynamics, 73
“lies; damned lies; and statistics,” 7
life cycle of customer’s bank
 dealings, 85
life cycle of data, 85
linear regression models, 80, 122,
 124, 136
linear statistical models, 46
logistic regression, 124, 126, 128,
 148–50
 regression 1, 132, 132t7.9, 133t7.18
 regression 2, 136–37
 regression 3, 141–43
 regression 4, 145–47
lost-and-stolen fraud, 28, 99
low credit risk, 111

M

magnetic stripe on card, 29, 50
*Manuscript on Deciphering Cryptographic
 Messages*
 (Al-Kindi), 13
marketing-related decisions, 45
MasterCard, 25–26, 28–29
mathematical algorithm, 6
MCC codes, 125–26
MCC risk, 126
merchant category code, 77
metadata layers, 49, 71, 74
Michelson and Morley experiment, 41
Mid-America Bankcard Association, 25
mini statement, 69–71
missing data, 54, 71, 76
mobile channel, 60
model performance measurement, 94
model score, 35, 100
model suite implementation, 116–17
model-based systems, 78, 80
modeling, advanced, 76
modeling algorithms, 124

“Models should be as simple as
 possible, but not simpler,” 149–51
monetary damage, 40
monetary losses, 94–95
money lending, 3
monitoring and fine tuning, 115–16
multi-entity behavioral modeling, 33
multiple entities in real time, 83

N

national credit card system, 24
network intrusion, 34, 112
network-based behavior models, 12
neural network
 about, 30, 78–79, 124–26, 128, 134,
 149–50
 back propagation, 81
 models, nonlinear behavior-based, 30
 network 1, 134, 135t7.19, 135t7.21
 network 2, 133–39
 network 3, 143–44
 network 4, 147–48
new data feeds, 87
New York’s Franklin National Bank, 24
“no one is indispensable,” 75
non-cash users, 81
non-fraud transactions, 78
nonlinear models, 46, 78, 124
nonlinear statistical models, 11–13
nonlinear techniques, 158
non-monetary transactions, 69–70
normal behavior of customers,
 17–18

O

odd behavior, 5
Ohnstad, Mitch (reporter), 3
open-loop system, 25
operational processes and
 constraints, 101
operational rule, 154
originator-beneficiary combination, 33
“out of character” transaction, 82
over-limit approval decisions, 91

P

Passages from the Life of a Philosopher
 (Babbage), 67
password, 5, 28
past information, 104
perceived risk, 64

personal information, 44
 phone number change, 84
 PIN number, 69, 82, 84, 93, 106, 109
 point of sale (POS), 12, 69, 97, 107, 125
 codes, 125–26
 risk, 126
 Powell, Colin (General), 40
 predictive (detection) analytics, 121
 predictive modeling, 17, 39, 50
 predictive models, 17
 premier customers, 98
 process improvement, 86
 production monitoring of data, 68
 Protos, 1
 proxy documentation, 72
 Ptolemy's theory, 41
 purchase behavior, abnormal, 34

Q

quality checks of data, 50
 quality control, 155
 quantifiable losses, 33
 quantifying fraud
 accurate data, importance of, 22
 behavioral models, 30–31
 credit cards, 23–26
 data storage and statistical thinking,
 16–17
 fraud, card-not-present, 28–29
 fraud, lost-and-stolen, 26–28
 fraud detection, using it effectively,
 35–37
 fraud detection across domains,
 33–34
 fraud episode, recording the, 19–21
 fraud in credit card industry, 22–23
 fraud management, 31–33
 modeling, supervised vs.
 unsupervised, 21–22
 non-fraud behavior, understanding,
 17–18
 potential risk, quantifying, 18–19

R

rank-ordering tool, 102
 reason codes, 103, 104
 recording frauds, 21
 regression 1, 128, 131t7.5, 131t7.8
 regression 2, 134–36
 regression 3, 140
 regression 4, 144–45

regulatory scrutiny, 101
 right attitude, 117–19
 rip-and-replace policy, 119
 risk calculation, 59
 risk management, 7, 14
 risk management systems, 88
 risk/reward equation, 4
 Roosevelt, Eleanor, 163
 rules-based systems, 78–80, 90, 102
 Russell, Bill (basketball player), 90
 Russian IP address, 106

S

SAS system, 127t7.1
 Schmidt, Eric (Google), 16
 score algorithms, 59
 score-based queues, 96
 scoring processes, 83
 scoring systems, 59, 80, 82, 86, 96
 seasonality of fraud episodes, 92
 second law of thermodynamics, 73
 secured lending, 4–5, 9, 12–13, 20
 security questions, 28
 semi-supervised modeling, 21, 158
The Seven Habits of Highly Effective People
 (Covey), 65
 Shewart, Walter (Bell Labs
 physicist), 155
 Sienkiewicz, Stan (Federal Reserve
 Bank of Philadelphia), 23
 signatures, 9
 Sisyphus, King, 23
 skimmed data, 82
 skimmed debit card, 70
 skimming, 27, 82
 small-dollar charges, 10
 sourcing the account, 111
 spending limits, 9, 84
 standards of privacy, 44
 Stanhope, Philip (British statesman), 18
 statistical modeling, 6–7
 statistical models, 6–8, 11
 statistical thinking, 16–17
 statistics, 128
 supervised modeling, 21
 supply chain management, 109
 Sutton, Willie (bank robber), 3

T

Taj Mahal, 46
 Taleb, Nassim Nicholas (author), 6

- target-based modeling, 21
- Taylor, Russell C., 153
- ten commandments of fraud management
1. garbage in; garbage out, 67–71
 2. no documentation? no change, 67, 71–75
 3. key employees are not a substitute for good documentation, 67, 75–77
 4. rules: more doesn't mean better, 67, 77–79
 5. score: never rest on your laurels, 67, 79–83
 6. score + rules = winning strategy, 67, 83–85
 7. fraud is everyone's problem, 67, 85–86
 8. continual assessment is the key, 67, 86–87
 9. fraud control systems: if they rest, they rust, 67, 87–88
 10. continual improvement: the cycle never ends, 67, 88
- text data, 58–60
- text-mining algorithms, 59
- thin-client access, 74
- third-party fraud, 21
- Thiruvalluvar (poet), 2
- 3D Secure protocol, 28
- "time-on-books," 53
- "time-since-first-transaction," 53
- transaction(al)
- amount, 125
 - dates, 125
 - details, 92
 - information, 92
 - times, 125
 - zero monetary loss, 93
- traveler's checks, 24
- U**
- unsecured lending, 4–5, 9, 12–13
- unsecured loan, 4
- U.S. Postal Service, 24
- V**
- verification calls, 102
- "Verified by Visa," 27
- video camera at ATM, 27, 69
- Visa, 25–29
- W**
- Wallis, Lynn, 113–14
- Wells, H. G., 17
- wire fraud, 112
- withdrawal transaction, 17
- Woolsey, Ben, 24
- X**
- Xenothemis, 1–2

<http://www.pbookshop.com>