

- @Function. *See* Function
 - ABBYY, 24
 - Able2extract, 24
 - Abnormal duplications, 68, 75, 77, 93, 258
 - Absolute value(s), 40, 48, 82
 - Abuse:
 - classification, 3
 - examples, 2, 4, 173, 235–236
 - ACFE, 2–3, 10
 - ACL, 12
 - Activedata, 12, 24
 - Adobe PDF, 24. *See also* PDF file importing
 - Advanced statistical methods:
 - correlation, 101–103, 104, 121, 131, 195, 232
 - time series, 104, 107–109, 232
 - trend analysis, 104–109, 121, 131, 232, 239, 240
 - Ainsworth, Richard T., 301
 - Al-barakat*, 256
 - Algorithm, Luhn, 196, 316
 - American Institute of Certified Public Accountants, 17–18
 - Anomalies:
 - accounting, 2, 8
 - analytical, 8–9
 - deletion, 13
 - insertion, 12
 - modification, 13
 - update, 13
 - Anomalies versus fraud, 2–6, 12–13
 - Arbutus, 12, 24–25
 - Arranging data, 33–35
 - ASCII, 21
 - Association of Certified Fraud Examiners (ACFE), 2–3, 10
 - Attribute sampling, 52–56, 64
 - Audit steps, standard, 9, 19
 - Authorized signatures, obtaining, 165
 - Automated analytic, 65
 - Automated Clearing House (ACH), 163
 - Automation. *See* IDEAScript
 - Beneish model, 320
 - Benford's Law, 68–77, 138–139, 217, 233, 258, 315
 - advanced tests, 70
 - second order, 73, 75, 76
 - summation, 70, 73, 75, 77
 - associated tests, 70
 - distortion factor model, 70
 - last two digits, 70, 73, 75–76, 138–139
 - number duplication, 77–81
 - Benford, Frank, 68
 - conditions, 69–70
 - considerations, usage, 76–77
 - Fibonacci numbers, 68
 - Nigrini, Mark J., 68, 77
 - practical applications, 70–73
 - primary tests, 70
 - first digit, 69, 71, 138
 - first three digits, 70, 71
 - first two digits, 71–74, 81, 139
 - second digit, 70, 71
 - using in IDEA, 73–76
- Benfordwiz, 71, 73
- Bid rigging, 244
- Billing schemes, 133–162
 - overbilling, 244, 245, 255, 256
 - underbilling, 244
- Binary, 21
- BKPF, 19
- Block selection, contiguous, 43
- Boolean operators, 154, 315
- Brainstorming, 18
- Bribery, 109, 243–246, 249, 251, 254
- Canada Revenue Agency, 264
- Canadian Payments Association (CPA), 163
- CaseWare IDEA, 19, 26, 317
- Cash larceny, 123, 124–132
- Categorical data, 37–38
- Check tampering schemes, 163–171
- Classical variables sampling, 56–62
- Collusion, 8, 133, 174, 229, 245, 250

- Commercial extortion, 246
- Commission payment tests, 194–195
- Companion website, 121, 306, 308, 314–316
 - data files, 327–328
 - IDEAScripts, 314–316, 327
 - IDEA software download, 327
 - password access, 327
- Comparison based on audit unit, 213
- Concatenate using IDEA, 176
- Concealment:
 - check tampering, 166
 - corruption, 250
 - noncash misappropriations, 235, 236, 237–238
 - register disbursement schemes, 222
- Conflict of interest, 246–247
- Contiguous selection, 43
- Continuous monitoring, 18, 64, 65
- Conversion, assets, 132, 134, 165, 235
- Correlation, 101–103, 104, 121, 131, 195, 232
 - Correlation coefficient, 102,
- Corruption, 3, 243–251, 254, 258
- Coupon tests, 231
- CPA. *See* Canadian Payments Association
- CRA. *See* Canada Revenue Agency
- Criteria, view, 149, 209
- CSV, 175, 201, 327
- Custom functions, 313–314
- CVS. *See* Classical variables sampling

- Daily averages tests, 210–211
- Data analysis cycle, 17–35
 - audit and investigation, 18–19
 - evaluation and analysis, 17–18
 - software and technology, 13
- Data:
 - categorical, 37, 38
 - numerical, 37, 38, 68
 - ordinal, 38
 - population, 38, 39
 - qualitative, 11, 37
 - quantitative, 37, 38, 63
- Data analysis software:
 - ACL, 12
 - ActiveData, 12, 24
 - Arbutus, 12, 24–25
 - IDEA, 12, 18, 19, 26
 - Microsoft Access, 11, 24
 - Microsoft Excel, 11, 20, 24, 287, 296, 306
- Data analytics:
 - anomalies, 8–9
 - confirmatory data analysis (CDA), 11
 - deletions, 13, 14, 77, 219, 262, 290, 299, 302
 - exploratory data analysis (EDA), 11
 - inclusions, 14
 - qualitative data analysis (QDA), 11
 - software, 11–12
- Data dictionary, 20–21
- Data files:
 - arranging, 33–35
 - familiarization, 26–32
 - format types, 24
 - obtaining, 19–22
 - organizing, 33–35, 265, 300
 - requirements, 19, 20–22
- Data mining, 10–11
- Data quality, 22–23
 - cleaning, 23
 - evaluating, 23
 - scrubbing, 303
- Data requirements, 19, 20–22
- Data, normalize, 35, 135, 166
- dBase, 24, 222, 223, 265, 316, 327
- Deletions, data, 14
- Delimited, 24, 201, 316, 327
- Dependent variable, 101
- Descriptive statistics, 37–38
 - categorical, 37
 - numerical, 37
 - ordinal, 38
 - qualitative, 37
 - quantitative, 37
- Detective, 5, 18
- Deviation:
 - mean, 40
 - standard, 40–41, 59, 65, 81, 82, 83, 240, 249
- Dispersion, measure of, 39–40
- Distortion factor model, 70
- Dollar unit sampling, 47–52
- Duplicate addresses in vendor master test, 157–158
- Duplicate key:
 - detection. *See* Same-Same-Same test
 - exclusion. *See* Same-Same-Difference test
- Duplications, abnormal, 68, 75, 77, 93, 258

- EBCDIC, 21, 316
- ECR, 14
- Egmont Group of Financial Intelligence Units, 253
- Electronic cash registers, 14, 124, 261
- Electronic payment, 163–165, 170, 171
 - fraud prevention, 164–165
- Electronic Payments Association (NACHA)
- Electronic suppression of sales. *See* Zapper fraud
- Electronic transfer, 163, 254
- Employee address to supplier address match test, 155–157

- Encapsulating, 316
- Enterprise Resource Planning software, 9
 - SAP, 19
- Equation editor, 83, 98, 142, 308, 313, 314
- Error-detecting, 85
- ESS. *See* Zapper fraud
- Even amounts, 98–100, 141–144, 209–210, 258, 315
- Excel, Microsoft, 11, 12, 20, 24, 286–287, 294–296, 303, 306, 316, 320
- Expense reimbursement schemes, 197–220
 - data analysis, 201–219
 - fictional, 199–200
 - mischaracterized, 198
 - multiple, 199
 - overstated, 198
- Exporting field statistics, 296
- Extortion, 243, 245–246
- Extraction, direct, 33, 181, 268, 269, 271, 278, 308
- Extrapolating, 48, 53
- False adjustments, 124, 126, 221–222
- False refunds, 221–222
- False voids, 222
- Falsifying inventory records, 238
- Falsifying purchase records, 237–238
- Falsifying sales records, 237–238
- Familiarization, data, 26–32, 134–138, 175–181, 222–225
- Features demonstrated, IDEA, 321–323
- Fei chien*, 256
- Fictitious expense reimbursements, 199–200
- Field Statistics, 23, 26–30, 75, 83–84, 86, 135–137, 147, 177–178, 202, 295, 296
- File format types, 24
- Financial Action Task Force (FATF), 253
- Financial Crimes Enforcement Network (FinCEN), 253, 254
- Financial statement fraud, 3, 319–320
- Financial Transactions and Reports Analysis Centre of Canada (FINTRAC), 253, 254
- FINCEN, 253, 254
- FINTRAC, 253, 254
- Forecast, time series analysis, 107–109
- Forecast, trend analysis, 104–108
- Fraud:
 - defined, 1–2
 - occupational, 2–4, 10, 85
 - recognizing, 7–10
 - risk of, assess, 4–6
 - types, 2–3
- Function:
 - @Age, 151, 192, 202, 249
 - @Dow, 152, 188, 219
 - @Dtoc, 274
 - @FinYear, 274
 - @GetNextValue, 168, 231, 277, 278
 - @If, 168, 186, 210, 276, 277, 278
 - @Left, 79, 155
 - @Match, 214
 - @Precno, 79, 86, 100
 - @Qtr, 274
 - @SimpleSplit, 23
 - @Split, 23, 214
 - @Str, 79, 155, 166, 282, 284
 - @Strip, 155, 166
 - @Upper, 155, 268, 269
 - @Val, 79,
 - @Workday, 152, 219
- Gap detection, 161–162, 168, 277–280, 315
 - Check numbers, 161–162
- GEL test, 109–122, 247–249
 - GEL-1, 110–116, 247–248, 315
 - GEL-2, 117–121, 248–249, 315
 - Gestalt Element Link, 109
- Ghost employee, 174, 190, 194, 195
- GST, 196, 262, 264, 316
- GST/HST, 85, 196, 262, 316
- Haphazard selection, sampling, 43
- Hawala*, 256–257
- High number of payments test, 183–185
- History feature, 44, 308, 312, 316
- Horizontal ratios, 320
- Hundi chitti*, 256
- Hypothesis, 11, 67, 68, 201
- IDEA, 12, 18, 19, 20, 22, 24, 26, 27, 327
 - features demonstrated, 321–323
- Ideafunc, 313, 327
- IDEAScript, 303–317
 - companion website, 327, 329
 - creating, 306–313
 - scripts list, 315–316
 - types:
 - exe, 306
 - ise, 305
 - iss, 305
- Illegal gratuities, 243, 245–246
- Inclusions, data, 14
- Independent variable, 11, 101
- Index fields, 39, 79, 83, 92, 116, 120, 139, 140, 149, 168, 183, 204, 205, 208, 219, 277, 282, 286
- Inferential statistics, 38

- Informal remittance system:
al-barakat, 256
fei chien, 256
hawala, 256–257
hundi chitti, 256
- Inliers, 8, 13
- Internal control, 2, 5, 6, 7, 8, 9, 13, 52, 53, 62, 68, 160, 162, 164, 166, 171, 195, 222, 233, 235, 240, 250, 325
- Invigilation, 290, 295
- ISE, 305
- ISS, 305
- Join, 21, 23, 33, 34, 88
- Judgment selection, sampling, 43
- Key Value Extraction, 186–187, 269–271, 272, 274, 275
- Kickback, 174, 245–246
- Larceny, 124–132, 323
- Layering, 254–255, 257
- Length of time between invoice and payment dates test, 151–152
- Luhn algorithm, 196, 316
- Macro. *See* IDEAScript and Visual Script
- Match employee address to supplier test, 155–157
- Mean, 38–41, 57, 59–60, 63, 81–83, 125, 126
- Mean Absolute Percent Error (MAPE), 104, 106
- Mean, deviation, 40
- Mean per unit, 57–60
- Measurement:
 center, 38–39
 mean, 38
 median, 39
 mode, 39
- Measures of:
 center, 38–39
 dispersion, 39–40
 variability, 40–41
- Median, 39
- Merchant category codes (MCC), 218–219
- Microsoft Access, 11, 12, 24, 316
- Misappropriation, 4, 132, 235–240
- Mischaracterization, 198
- Mode, 39
- Modulus (Mod), 98, 100, 142, 308, 313, 315
- Monarch, 24
- Monetary unit sampling, 47–52
- Money laundering, 253–259
 audit areas, 257–258
 data analytical tests, 258–259
 data files, 257–258
 process, 254–256
 smurfing, 254
 stage:
 integration, 255–256
 layering, 254–255
 placement, 254
- Money transfer systems, other, 256–257
- Multiple reimbursements (expenses), 199
- Multistate field type, 215, 316
- Nigrini, Mark J., 68, 77, 84, 85, 93, 95
- Noncash misappropriations, 235–241
 abuse, 235–236
 asset transfer, 236–237
 concealment, 236, 237–240
 information, proprietary, 235, 237, 241
 misuse, 235
 unconcealed, 235, 236, 240
- Nonstatistical sampling, 42–43
 methods, 43–47
 discovery, 62–63
 random, 44–45
 stratified random, 45–47
 systematic, 45
- Nonresettable total, 297, 302
- Normalize data, 35, 135, 166
- Number duplication test, 70, 77–81
- Object Link Embedding (OLE), 303
- Obtaining data files, 19
- Occupational fraud, 2–4, 10, 85
- ODBC, 24, 25
- OECD, 253, 263–264, 301
- Off-the-shelf software, 20
- OLAP, 11
- Online analytical processing (OLAP) tools, 11
- Ordinal data, 38
- Organisation for Economic Co-operation and Development (OECD), 253, 263–264, 301
- Organizing data, 33–35
- Outliers, 8, 13, 38, 39, 59, 65, 67, 82, 83, 85, 93, 200, 201, 211
- Overbilling schemes, 244, 245, 255, 256, 258
- Overstated:
 expenses, 198, 257
 inventory, 221, 224
 reimbursements, 198
- Parameter, population, 38
- Payee, the, 163, 165–166
- Payments on last day of the month test, 185–189

- Payments to vendors not in master test, 158–161
- Payments without purchase orders test, 146–151
- Payroll fraud, 173–196, 324
- Payroll master tests 194–195
- Payroll register tests, 194
- P-cards (procurement cards), 197, 199, 200, 218–219
- PDF file importing:
 - ABBYY PDF, 24
 - Able2Extract PDF Converter, 24
 - Adobe, 24
 - Arbutus, 24, 25
 - IDEA, 26
 - Monarch, 24
- Performing the audit, 22–23
- Perpetual inventory, 14, 232, 238, 240
- Phantomware, 262, 301
- Phishing, 164
- Pivot Table, 26, 31–32, 37, 128, 129, 206
- Placement, 254
- Planning:
 - attribute sampling, 52–53
 - monetary unit sampling, 47
- Point-of-sales system, 77, 121, 132, 221, 265–302. *See also* Zapper fraud
 - case study, 265–300
 - file preparation, 266–277
 - gap detection, 277–280
 - mark-up ratios, 299–300
 - missing bills, 297–299
 - modified bills, 297–299
 - POS data analysis, 280–294
 - quantifying, 294–296
- Population standard deviation, 27, 41, 83
- POS. *See* Point-of-sales system.
- Post office box, search, 152–154
- Preparation for data analysis, 24–33
- Probability-proportional-to-size, 47–52
- Procurement cards (P-Cards), 197, 199, 200, 218–219
- Profitek, 264
- Project overview, 323–324
- Proprietary information, 235, 237, 241
- Purchase cards, 197, 199, 200, 218–219

- Qualitative, 11, 37
- Quantitative, 37, 38, 63

- Range:
 - maximum, 39
 - minimum, 39
- RCMP (Royal Canadian Mounted Police), 70, 264
- RDF, 175
- Recognizing fraud, 7–10
- Red flag(s), 8, 9, 18, 239, 241, 249, 258
- Register disbursement schemes, 221–233, 261
- Regression analysis, 104
- Regression line, 104, 109
- Relative size factor test (RSF), 84–93, 139–140, 195, 206, 211–213, 239, 258
- Rename fields, 91, 92, 114, 115, 118, 126, 127, 192, 267, 286
- RFID, 123, 261
- Risk:
 - nonsampling, 43
 - sampling, 43
- Risk assessment, 4–6, 77
- RSF (relative size factor), 84–93, 139–140, 195, 206, 211–213, 239, 258

- Same-Same-Difference test, 94–98, 100, 145–146, 168, 208–209, 219, 258, 315
- Same-Same-Same test, 93–94, 96, 100, 144–145, 157, 183, 184–185, 189, 207–208, 219, 239, 249, 258, 315
- Sample standard deviation, 41
- Sampling, 28, 41–65, 144, 168, 171, 197, 205, 233
 - ad hoc, 64
 - attribute, 52–56
 - block selection, 43
 - classical variables sampling (CVS), 56–63
 - confidence level, 42, 47, 53, 57, 64
 - discovery, 62–63
 - dollar unit sampling (DUS), 47–52
 - estimate, monetary unit sampling, 47, 48
 - evaluate, monetary unit sampling, 50–51
 - expected error, 47, 48, 53, 56, 57
 - haphazard, 43
 - inference, 38, 41, 43
 - judgmental, 43, 52
 - methods, choices, 41, 43, 47–62
 - monetary unit sampling (MUS), 47–52
 - nonstatistical, 42–43
 - nonstatistical methods, 43–47
 - not enough, 64–65
 - probability-proportional-to-size (PPS), 47–52
 - random, 42, 43, 44–45
 - statistical, 41–42
 - statistical methods, 47–62
 - stratified random, 45–47
 - systematic, 45
 - tolerable error, 47, 48, 51, 53, 57

- Sampling risk, 42, 43, 57
 - alpha, 43
 - beta, 43
 - nonstatistical, 43
 - statistical, 43
 - Type I, 43
 - Type II, 43
- SAP, 19,
- Sarbanes-Oxley, 9
- Schemes
 - billing, 133–162
 - check tampering, 163–171
 - corruption, 243–251
 - expense reimbursement, 197–220
 - financial statement, 319–320
 - money laundering, 253–259
 - noncash misappropriations, 235–241
 - overbilling, 244, 255, 256
 - payroll, 173–196
 - register disbursement, 221–233
 - skimming, 123–132
 - tender, 244–245
 - underbilling, 244
 - zapper, 261–302
- Scripting. *See* IDEAScriptScrubbing, data, 303
- Seed, random, 44, 59
- Skimming, 123–132
- SKN, 232
- SKU, 232
- Smurfing, 254
- Social insurance numbers (SIN), 196, 316
- Social security numbers (SSN), 196, 36
- Spear phishing, 164
- SRM, 301
- SSD. *See* Same-Same-Difference test
- SSS. *See* Same-Same-Same test
- Standard deviation, 40–41, 59, 65, 81–83, 240, 249
 - population, 41
 - sample, 41
- Statement on Auditing Standards No. 99, 17–18
- Statistic, 37–65
 - descriptive, 37–38
 - deviations from the mean, 40
 - inferential, 38
 - mean deviation, 40
 - measures of:
 - center, 38–39
 - dispersion, 39–40
 - variability, 40–41
 - standard deviation, 41
 - variance, 40
- Statistical sampling, 41–42
 - methods, 47–62
 - attribute, 52–56
 - classical variables, 56–62
 - dollar unit, 47–52
 - monetary unit, 47–52
 - probability proportional-to-size, 47–52
- Stratification, 135
- Stratify, 28, 29, 57–58, 151, 183, 188
- Substantive, 20, 47, 56
- Summarization (Summarized), 26, 28, 30, 31, 88, 89, 206, 277, 303
- Tender schemes, 244–245
- Time series analysis, 104, 107, 232
- Top record extraction, 206–207, 315
- Transfer of assets, 235, 236–237, 250
- Travel and entertainment expenses, 197–220
- Travel outside of the country test, 213–217
- Trend analysis, 104–109, 121, 131, 232, 239, 240
- Unconcealed misappropriations, 236
- Underbilling schemes, 244
- Variability, 39, 40–41
- Variable, 102, 103, 104
 - dependent, 11, 101
 - independent, 11, 101
 - sampling, classical variables, 56–62
- Variance, 40
- VAT, Value added tax, 85, 262
- Visual Basic for Applications (VBA), 303
- Visual connector, 33–34
- Visual script, 304–305, 308–311, 316
- Void tests, 225–230
- Whistleblowing, 236, 250
- Wildcard character, 154, 170, 217, 315
- XML, 24, 316
- Zapper fraud (electronic suppression of sales, ESS), 261–302
 - detection, 277–294, 296–302
 - backup data, 292–294
 - gap detection, 277–280
 - markup ratios, 299–300
 - missing bills, 297–299
 - modified bills, 297–299
 - other files, 296–297
 - quantifying deletions, 294–296
 - supplies analysis, 299
 - tender analysis, 281–292
 - wage analysis, 300
- Z-Score, 41, 81–84, 102, 125–126, 140–141, 205–206, 213, 219, 240, 249, 259, 315